THALES

Thales Embedded Explainable AI:
Towards the Adoption of AI in Critical Systems



AI Accelerator Summit
Boston, USA
October 17, 2019

Freddy Lecue, Chief AI Scientist (Thales Canada, Inria France)
http://www-sop.inria.fr/members/Freddy.Lecue/
@freddylecue

OPEN

Markets we serve



Aerospace



Space



Ground Transportation



Defence



Security

Embedding Small Systems with AI Capabilities

Trusted Partner For A Safer World

This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.

Critical Applications

This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.




BNSF







This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.

Operating Constraints

This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.



Systems with **limited size, weight** and **power**



Operating **critical** decisions



With **human-in-the-loop / explanation** required


THALES

This document may not be reproduced, modified, adapted, pu
part or disclosed to a third party without the prior written conser

Machine Learning for Critical Systems

This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.

AI Adoption: Requirements



This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.

State of the Art Machine Learning Applied to Critical Systems


This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.


OPEN

THALES


Object (Obstacle)
Detection Task

Object (Obstacle) Detection Task State-of-the-art ML Result




Object (Obstacle) Detection Task State-of-the-art ML Result
Lumbermill - .59
Boulder - .09
Railway - .11

State of the Art XAI Applied to Critical Systems

This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.


OPEN

THALES

Object (Obstacle) Detection Task State-of-the-art XAI Result



Object (Obstacle) Detection Task State-of-the-art XAI Result



Object (Obstacle) Detection Task State-of-the-art XAI Result

Lumbermill - .59



Unfortunately, this is of NO use for a human behind the system

This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.

Let’s stay back


Why this Explanation? (meta explanation)

This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.

After Human Reasoning…

This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.

Lumbermill - .59




DBpedia Browse using Formats Faceted Browser Sparql Endpoint

dbo:wikiPageID	352327 (xsd:integer)
dbo:wikiPageRevisionID	734430894 (xsd:integer)
dct:subject	dbc:Sawmills dbc:Saws dbc:Ancient_Roman_technology dbc:Timber_preparation dbc:Timber_industry
http://purl.org/linguistics/gold/hypernym	dbr:Facility
rdf:type	owl:Thing dbo:ArchitecturalStructure
rdfs:comment	A sawmill or lumber mill is a facility where logs are cut into lumber. Prior to the invention of the sawmill, boards were rived (split) and planed, or more often sawn by two men with a whipsaw, one above and another in a saw pit below. The earliest known mechanical mill is the Hierapolis sawmill, a Roman water-powered stone mill at Hierapolis, Asia Minor dating back to the 3rd century AD. Other water-powered mills followed and by the 11th century they were widespread in Spain and North Africa, the Middle East and Central Asia, and in the next few centuries, spread across Europe. The circular motion of the wheel was converted to a reciprocating motion at the saw blade. Generally, only the saw was powered, and the logs had to be loaded and moved by hand. An early improvement was the developm (en)
rdfs:label	Sawmill (en)
owl:sameAs	wikidata:Sawmill dbpedia-cs:Sawmill dbpedia-de:Sawmill dbpedia-es:Sawmill

OPEN

What is missing?

Lumbermill - .59




This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.

Context matters

Boulder - .09

Railway - .11




DBpedia Browse using Formats Faceted Browser Sparql Endpoint

About: Boulder

An Entity of Type : place, from Named Graph : http://dbpedia.org, within Data Space : dbpedia.org

In geology, a boulder is a rock fragment with size greater than 25.6 centimetres (10.1 in) in diameter. Smaller pieces are called cobbles and pebbles, depending on their "grain size". While a boulder may be small enough to move or roll manually, others are extremely massive. In common usage, a boulder is too large for a person to move. Smaller boulders are usually just called rocks or stones. The word boulder is short for boulder stone, from Middle English bulderston or Swedish bullersten. Boulder sized clasts are found in some sedimentary rocks, such as coarse conglomerate and boulder clay.

Property	Value
dbo:abstract	In geology, a boulder is a rock fragment with size greater than 25.6 centimetres (10.1 in) in diameter. Smaller pieces are called cobbles and pebbles, depending on their "grain size". While a boulder may be small enough to move or roll manually, others are extremely massive. In common usage, a boulder is too large for a person to move. Smaller boulders are usually just called rocks or stones. The word boulder is short for boulder stone, from Middle English bulderston or Swedish bullersten. In places covered by ice sheets during Ice Ages, such as Scandinavia, northern North America, and Russia, glacial erratics are common. Erratics are boulders picked up by the ice sheet during its advance, and deposited during its retreat. They are called "erratic" because they typically are of a different rock type than the bedrock on which they are deposited. One of them is used as the pedestal of the Bronze Horseman in Saint Petersburg, Russia. Some noted rock formations involve giant boulders exposed by erosion, such as the Devil's Marbles in Australia's Northern Territory, the Horeke basalts in New Zealand, where an entire valley contains only boulders, and The Baths on the island of Virgin Gorda in the British Virgin Islands. Boulder sized clasts are found in some sedimentary rocks, such as coarse conglomerate and boulder clay. The climbing of large boulders is called bouldering. (en)
dbo:thumbnail	wiki-commons:Special:FilePath/Balanced_Rock.jpg?width=300
dbo:wikiPageID	60784 (xsd:integer)
dbo:wikiPageRevisionID	743049914 (xsd:integer)
dct:subject	dbc:Rock_formations dbc:Rocks



DBpedia Browse using Formats Faceted Browser Sparql Endpoint

About: Rail transport

An Entity of Type : software, from Named Graph : http://dbpedia.org, within Data Space : dbpedia.org


Rail transport is a means of conveyance of passengers and goods on wheeled vehicles running on rails, also known as tracks. It is also commonly referred to as train transport. In contrast to road transport, where vehicles run on a prepared flat surface, rail vehicles (rolling stock) are directionally guided by the tracks on which they run. Tracks usually consist of steel rails, installed on ties (sleepers) and ballast, on which the rolling stock, usually fitted with metal wheels, moves. Other variations are also possible, such as slab track, where the rails are fastened to a concrete foundation resting on a prepared subsurface.

Property	Value
dbo:abstract	Rail transport is a means of conveyance of passengers and goods on wheeled vehicles running on rails, also known as tracks. It is also commonly referred to as train transport. In contrast to road transport, where vehicles run on a prepared flat surface, rail vehicles (rolling stock) are directionally guided by the tracks on which they run. Tracks usually consist of steel rails, installed on ties (sleepers) and ballast, on which the rolling stock, usually fitted with metal wheels, moves. Other variations are also possible, such as slab track, where the rails are fastened to a concrete foundation resting on a prepared subsurface. Rolling stock in a rail transport system generally encounters lower frictional resistance than road vehicles, so passenger and freight cars (carriages and wagons) can be coupled into longer trains. The operation is carried out by a railway company, providing transport between train stations or freight customer facilities. Power is provided by locomotives which either draw electric power from a railway electrification system or produce their own power, usually by diesel engines. Most tracks are accompanied by a signalling system. Railways are a safe land transport system when compared to other forms of transport. Railway transport is capable of high levels of passenger and cargo utilization and energy efficiency, but is often less flexible and more capital-intensive than road transport, when lower traffic levels are considered. The oldest, man-hauled railways date back to the 6th century BC, with Periander, one of the Seven Sages of Greece,

This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.

XAI Thales Platform


Higher accuracy with no intensive fine-tuning
Human interpretable explanation
Running on the edge at inference time



- **Hardware**: **High performance, scalable, generic** (to different FGPA family) **& portable** CNN dedicated **programmable** processor implemented on an FPGA for **real-time embedded inference**

- **Software**: Knowledge graph extension of object detection

Transitioning




This is an **Obstacle: Boulder** obstructing the train: XG142-R on **Rail_Track** from City: Cannes to City: Marseille at **Location: Tunnel VIX** due to **Landslide**

This document may not be reproduced, modified, adapted, publish part or disclosed to a third party without the prior written consent of


EXPLANATIONS

Lime

ResNet50 image classifier



XAI Thales Approach



Freddy Lécué, Jiaoyan Chen, Jeff Z. Pan, Huajun Chen: Augmenting Transfer Learning with Semantic Reasoning. IJCAI 2019: 1779-1785

Freddy Lécué, Tanguy Pommellet: Feeding Machine Learning with Knowledge Graphs for Explainable Object Detection. ISWC Satellites 2019: 277-280

Freddy Lécué, Baptiste Abeloos, Jonathan Anctil, Manuel Bergeron, Damien Dalla-Rosa, Simon Corbeil-Letourneau, Florian Martet, Tanguy Pommellet, Laura Salvan, Simon Veilleux, Maryam Ziaeefard: Thales XAI Platform: Adaptable Explanation of Machine Learning Systems - A Knowledge Graphs Perspective. ISWC Satellites 2019: 315-316

Jiaoyan Chen, Freddy Lécué, Jeff Z. Pan, Ian Horrocks, Huajun Chen: Knowledge-Based Transfer Learning Explanation. KR 2018: 349-358

This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.

THALES

Ecosystem

This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.

XAI in Canada: An instance of a Scientific eXplainable AI project

This document may not be reproduced, modified, adapted, published, translated, in any way, in whole or in part or disclosed to a third party without the prior written consent of Thales - © Thales 2019 All rights reserved.

DEEL (Dependable Explainable Learning) Project 2019-2024

With support of

CRSNG NSERC

CRIAQ

Industrial partners

THALES

And 3 aerospace partners

Academic partners

UNIVERSITÉ LAVAL

IVADO INSTITUT DE VALORISATION DES DONNÉES

IRT SAINT EXUPERY




Certificability

- Structural warranties
- Risk auto evaluation
- External audit


A14EU
ABB ROBOTICS
GoodAI
Allianz
BLUMORPHO
MŰEGYETEM 1782
LAAS-CNRS
CSIC
FRANCE DIGITALE
BSC
CARTIF
Atos
PGWC
Inria
eit Digital
brgm
Eötvös Loránd University
FORTH
INSTITUTE OF COMPUTER SCIENCE
cea
CINECA
DFKI
DLR
FORUM VIRIUM HELSINKI
GRASSROOTS ARTS
CERTH
CENTRE FOR RESEARCH & TECHNOLOGY HELLAS
INDUSTRIAL DATA SPACE ASSOCIATION
EOS
FundingBox
FONDAZIONE BRUNO KESSLER
Fraunhofer IAIS
UNIVERSITY OF LEEDS
IJS
Institut Mines-Télécom
TÉCNICO LISBOA
KIT
Karlsruhe Institute of Technology
KNOW Center
idiap
HUB FRANCE IA
orange
SAPIENZA UNIVERSITÀ DI ROMA
NTNU
Norwegian University of Science and Technology
Insight
NUI Galway OF Gaillimh
ONERA
SmartRural
ÖREBRO UNIVERSITET
WAVESTONE
PANTHÉON SORBONNE
Qwant
SIEMENS
Ingenuity for life
SAP
SMILE
IT IS OPEN
simula
ThalesAlenia Space
technicolor
telenor
TILDE
THALES
Unilever
UMEÅ UNIVERSITET
ALMA MATER STUDIORUM
TU WIEN
UCC
University College Cork, Ireland
Coláiste na hOllscoile Corcaigh
UNIVERSIDADE DE COIMBRA
UNIVERSITÉ Grenoble Alpes
VUB
HELLENIC REPUBLIC
National and Kapodistrian University of Athens
UPC
POLITÉCNICA
UNIVERSITÀ DI SIENA
SCIENCES SORBONNE UNIVERSITÉ
eclt
European Centre for Living Technology

AI Startup Accelerator powered by Thales



THALES DIGITAL FACTORY

6 months program

Next season
April 2020

Call for
application
November

AI-AT-CENTECH.CA



Human -in-the- Loop

AI Accelerator Summit, October 17, 2019

Freddy Lecue, Chief AI Scientist (Thales Canada, Inria France)

@freddylecue