

Performance Evaluation

Lecture 2: Complex Networks


Giovanni Neglia

INRIA – EPI Maestro

16 December 2013


Configuration model

- A family of random graphs with given degree distribution




Configuration model

- A family of random graphs with given degree distribution
 - Uniform random matching of stubs




Configuration model

- A family of random graphs with given degree distribution
 - Uniform random matching of stubs




Back to Navigation: Random Walks

- What can we do in networks without a geographical structure?
 - Random walks



Back to Navigation: Random Walks


- How much time is needed in order to reach a given node?



Random Walks: stationary distribution

$$\square \pi_i = \sum_{j \in N_i} \frac{1}{k_j} \pi_j$$

$$\square \pi_i = \frac{k_i}{\sum_{i=1}^N k_j} = \frac{k_i}{2M}$$



□ avg time to come back to node i starting

from node i: $\frac{1}{\pi_i} = \frac{2M}{k_i}$

□ Avg time to reach node i

○ intuitively $\approx \Theta(M/k_i)$

Another justification

- Random walk as random edge sampling
 - Prob. to pick an edge (and a direction) leading to a node of degree k is $\frac{kp_k}{\langle k \rangle}$


- Prob. to arrive to a given node of degree k :

$$\frac{kp_k}{p_k N \langle k \rangle} = \frac{k}{2M}$$

- Avg. time to arrive to this node $2M/k$
- ...equivalent to a RW where at each step we sample a configuration model


Distributed navigation (speed up random walks)

- Every node knows its neighbors



Distributed navigation (speed up random walks)

- Every node knows its neighbors
- If a random walk looking for i arrives in a the message is directly forwarded to i




Distributed navigation reasoning 1

□ We discover i when we sample one of the **links** of i 's neighbors

□ Avg # of these links: $k_i \sum_k \left((k-1) \frac{kp_k}{\langle k \rangle} \right) = k_i \left(\frac{\langle k^2 \rangle}{\langle k \rangle} - 1 \right)$

□ Prob. to arrive at one of them: $\frac{k_i}{2M} \left(\frac{\langle k^2 \rangle}{\langle k \rangle} - 1 \right)$



Distributed navigation reasoning 2

- Prob that a node of degree k is neighbor of node i given that RW arrives to this node from a node different from i

$$1 - \left(1 - \frac{k_i}{2M}\right)^{k-1} \approx \frac{k_i(k-1)}{2M}$$

- Prob that the next edge brings to a node that is neighbor of node i :

$$\sum_k \frac{k_i(k-1)}{2M} \frac{kp_k}{\langle k \rangle} = \frac{k_i}{2M} \left(\frac{\langle k^2 \rangle}{\langle k \rangle} - 1 \right)$$

Distributed navigation

- ▣ Avg. Hop# $\frac{2M}{k_i} \frac{\langle k \rangle}{\langle k^2 \rangle - \langle k \rangle}$
- Regular graph with degree d : $\frac{2M}{d(d-1)}$
 - ER with $\langle k \rangle$: $\frac{2M}{k_i(\langle k \rangle - 1)}$
 - Pareto distribution $\left(P(k) \approx \frac{\alpha x_m^\alpha}{x^{\alpha+1}} \right)$:

$$\approx \frac{2M}{k_i} \frac{(\alpha-2)(\alpha-1)}{x_m - (\alpha-2)(\alpha-1)} \quad \text{If } \alpha \rightarrow 2 \dots$$

Distributed navigation

- Application example:
 - File search in unstructured P2P networks through RWs