

From EULER Project

PmWiki: Available Actions

Table of contents

- [Default actions](#)
- [Enable diag actions](#)
- [Script actions](#)
- [Cookbook actions](#)

Default Actions

?action=**attr**

displays dialog for setting/changing password of the specified page, see [passwords](#), see also [\\$EnablePostAttrClearSession](#) if you do not want to have the session cleared after validating change General use of passwords

?action=**browse**

display the specified page (default action if no ?action= is present)

?action=**crypt**

displays a form for generating hashed [passwords](#) out of clear text for usage in your config.php

?action=**diff**

show a change history of the specified page, see [page history](#) History of previous edits to a page

?action=**download**&upname=*file.ext*

retrieve the page's attachment named *file.ext*, see [\\$EnableDirectDownload](#)

?action=**edit**

edit the specified page, see [basic editing](#) PmWiki's basic edit syntax

?action=**login**

prompt visitor for username/password

?action=**logout**

remove author, password, and login information

?action=print

display the specified page using the skin specified by `$ActionSkin['print']`

?action=refcount

bring up the reference count form, which allows the user to generate a list of links (all, missing, existing or orphaned) in or from specified groups. See [Ref Count](#) Link references counts on pages . Part of the core distribution but must be enabled by the administrator.

?action=search

displays searchbox on current page, see [search](#) Targeting and customising search results

?action=search&q=searchterm

performs search with *searchterm* and displays results on current page

?action=source

show page source

?action=atom

?action=rdf

?action=rss

?action=dc

If [web feeds](#) are enabled, returns a syndication feed based on the contents of the page or other options provided by the url, see [web feeds](#) Web feed notification of changes

?setprefs=SomeGroup.CustomPreferences

sets cookie to custom preferences page. See [site preferences](#) Customisable browser setting preferences: Access keys, edit form

?action=upload

display a form to upload an attachment for the current group, see [uploads](#)

Actions enabled by `$EnableDiag`

The following actions are available only if you set `$EnableDiag = 1`; in your configuration file. They can be used for debugging and should not be set in a production environment.

?action=ruleset

displays a list of all markups in 3 columns:

- ◇ column 1 = markup-name (1. parameter of markup())
- ◇ column 2 = when will rule apply (2. parameter of markup())
- ◇ column 3 = PmWiki's internal sort key (derived from #2)

(see [Custom Markup](#) Using the Markup() function for custom wiki syntax).

To see more than what `?action=ruleset` gives you, apply the [Cookbook:MarkupRulesetDebugging](#) recipe: it can also show the pattern and the replacement strings.

- doesn't make use of PmWiki's authorization mechanisms.

?action=phpinfo

displays the output of `phpinfo()` and exits. no page will be processed

◊ doesn't make use of PmWiki's authorization mechanisms.

?action=diag

displays a dump of all global vars and exits. no page will be processed

◊ doesn't make use of PmWiki's authorization mechanisms.

Actions enabled by PmWiki Scripts

?action=analyze

see [Site Analyzer](#) and [Analyze Results](#)

?action=approvesites

see [Url approvals](#) Require approval of Url links

◊ doesn't make use of PmWiki's authorization mechanisms.

Actions enabled by [Cookbook](#) recipes

(more information about [Custom Actions](#))

?action=admin

see [Cookbook:UserAuth2](#)

?action=backup

see [Cookbook:BackupPages](#)

?action=clearsky

see [Cookbook:SearchCloud](#)

?action=comment

see [Cookbook:CommentBox](#)

?action=comments

see [Cookbook:Comments](#)

?action=comment-rss

see [Cookbook:CommentDb](#)

?action=convert

see [Cookbook:ROEPatterns](#)

?action=converttable

Cookbook:ConvertTable
?action=**downloaddeleted**
?action=**delattach**
?action=**undelattach**
Cookbook:Attachtable
?action=**delete**
 see Cookbook>DeleteAction
?action=**discuss**
 see Cookbook:DiscussionTab
?action=**downloadman**
 see Cookbook:DownloadManager
?action=**expirediff**
 see Cookbook:ExpireDiff
?action=**import**
 see Cookbook:ImportText
?action=**PageUrl**
 see Cookbook:CommentBoxPlus
?action=**pageindex**
 see Cookbook:ListCategories
?action=**pdf**
 see Cookbook:GeneratePDF or Cookbook:PmWiki2PDF
?action=**publish**
 see Cookbook:PublishPDF
?action=**purgeqns**
 see Cookbook:ASCIIMath
?action=**pwchange**
 see Cookbook:UserAuth2
?action=**imgtpl**
 (the *imgtpl* action is called automatically and should not be called by a link in a wiki page)
?action=**createthumb**
 (the *createthumb* action is called automatically and should not be called by a link in a wiki page)
?action=**mini**
 (this action is called automatically and should not be called by a link in a wiki page)
?action=**purgethumbs**
 see Cookbook:ThumbList
 see Cookbook:Mini
?action=**recipecheck**
 see Cookbook:RecipeCheck
?action=**regen**
 see Cookbook:PageRegenerate
?action=**rename**
?action=**links**
 see Cookbook:RenamePage
?action=**share**
?action=**unshare**
 see Cookbook:SharedPages
?action=**sitemapaddgroups**
?action=**sitemapupdate**
 see Cookbook:Sitemapper
?action=**totalcounter**
 see Cookbook:TotalCounter

?action=**trash**

?action=**untrash**

see [Cookbook:Trash](#)

?action=**webadmin**

see [Cookbook:WebAdmin](#)

?action=**zap**

see [Cookbook:ZAP](#)

Retrieved from <https://www-sop.inria.fr/mascotte/EULER/wiki/pmwiki.php/PmWiki/AvailableActions>

Page last modified on July 14, 2009, at 01:14 AM