

From EULER Project

PmWiki: Drafts

PmWiki has the capability to stage *draft* versions of a page prior to them becoming "official". Multiple interim edits to a page can be temporarily saved in a "-Draft" copy of a page until the draft is ready to be published to the original.

When the site administrator sets `$EnableDrafts` in a local customization file, the "Save" button on the edit page is split into separate "Publish" and "Save draft" buttons.

The "Save draft" button causes any edits to be saved to a "-Draft" copy of the original page, leaving the original page intact. Subsequent requests to edit the page (either the original or -Draft) bring up the draft copy for further editing.

The "Publish" button saves back to the original non-Draft copy of the page, removing any -Draft page that may have been created.

By default, saving drafts and publishing are available to anyone with 'edit' permissions (see [Passwords](#)). However, the site administrator can also set the `$EnablePublishAttr` configuration variable, which provides a separate 'publish' permission that is required to publish to the original page.

How do I moderate all postings?

Start by [enabling drafts](#) to change the "Save" button into separate "Publish" and "Save draft" buttons. Then set `$EnablePublishAttr`. This adds a "publish" authorization level to distinguish editing of page drafts from publishing.

Retrieved from <https://www-sop.inria.fr/mascotte/EULER/wiki/pmwiki.php/PmWiki/Drafts>
Page last modified on March 28, 2009, at 10:56 PM