

From EULER Project

PmWiki: Page Directives

PmWiki uses a number of directives to specify page titles, descriptions, page keywords, and control the display of various components. Keywords are not case sensitive.

`(:attachlist:)`

Shows a list of attachments of the current group or page, depending on whether attachments are organised per group or per page. The attachlist is displayed at the foot of the [uploads](#) page form.

The parameter to `(:attachlist:)` always resolves to a pagename. The directive then displays all of the attachments currently available for that page.

Options

`(:attachlist NAME:)` shows a list of attachments of the group or page NAME.

`(:attachlist ext=xxx:)` specifies an extension for filtering by type of file.

`(:attachlist *:)` shows the uploads directory and permits browsing of all uploaded files by directory (*will not work if [\\$EnableDirectDownload](#) is set to 0*).

`(:description text:)`

Descriptive text associated with the page. (Generates a `<meta name='description' content='...' />` element in the page output.)

`(:keywords word1, word2, ...:)`

Identifies keywords associated with the page. These are not displayed anywhere, but are useful to help search engines locate the page. (Essentially, this generates a `<meta name='keywords' content='...' />` element in the output.)

`(:linebreaks:), (:nolinebreaks:)`

Honors any newlines in the markup; i.e., text entered on separate lines in the markup will appear as separate lines in the output. Use `(:nolinebreaks:)` to cause text lines to automatically join again.

`(:linkwikiwords:), (:nolinkwikiwords:)`

Enables/disables WikiWord links in text.

`(:markup:) ... (:markupend:)` or `(:markup:) [=...=]`

Can be used for markup examples, showing first the markup and then the result of the markup.

Options

`(:markup class=horiz:)` will show the markup side by side instead of one upon the other.

`(:markup caption='...':)` adds a caption to the markup example.

`(:markupend:)` is not required when using `(:markup:) [=...=]`.

Note that the placement of newlines is very important for this markup. If you are using the [= . . . =] option then the opening [= MUST occur on the same line as the (:markup:). If you are using the full (:markup:) . . . (:markupend:) form then your markup code must appear AFTER a newline after the initial (:markup:).

(:noaction:)

Turns off the section of the skin marked by <!--PageActionFmt--> thru <!--/PageActionFmt-->. In the pmwiki skin, this turns off the display of the actions at the top-right of the page (other skins may locate the actions in other locations).

(:nogroupheader:)

(:nogroupfooter:)

Turns off any groupheader or groupfooter for the page. (See [GroupHeaders](#).)

(:noheader:), (:nofooter:)

(:noleft:), (:noright:), (:notitle:)

If supported by the [skin](#), each of these turns off the corresponding portion of the page.

(:redirect PageName:)

Redirects to another wiki page.

(:redirect PageName#anchor:)

Redirects to an [anchor](#) within a page

(:redirect PageName status=301 from=name quiet=1:)

Redirects the browser to another page, along with a redirect message. For security reasons this only redirects to other pages within the wiki and does not redirect to external urls. The status= option can be used to return a different HTTP status code as part of the redirect. The from= option limits redirects to occurring only on pages matching the wildcarded *name* (helpful when (:redirect:) is in [another page](#)). The quiet=1 option allows the target page not to display a link back to the original page ([\\$EnableRedirectQuiet](#) variable should be set to 1).

(:spacewikiwords:), (:nospacewikiwords:)

Enables/disables automatic spacing of WikiWords in text.

(:title text:)

Sets a page's title to be something other than the page's name. The title text can contain apostrophes and other special characters. If there are multiple titles in a page, the last one encountered wins.

(:nl:)

Creates a new line if there isn't one already there. See this [thread](#)([approve sites](#)) for more info. Similar to [[<<]]

Can I get (:redirect:) to return a "moved permanently" (HTTP 301) status code?

Use (:redirect PageName status=301:).

Is there any way to prevent the "redirected from" message from showing at the top of the target page when I use `(:redirect:)`?

From version 2.2.1 on, set in `config.php` `$EnableRedirectQuiet=1`; and in the page `(:redirect OtherPage quiet=1:)` for a quiet redirect.

Is there any method for redirecting to the equivalent page in a different group, i.e. from `BadGroup/thispage => GoodGroup/thispage` using similar markup to `(:redirect Goodgroup.{Name}:)`?

`(:redirect Goodgroup.{Name}:)` works if you want to put it in one page.

If you want it to work for the entire group, put `(:redirect Goodgroup.*{Name}:)` into `Badgroup.GroupHeader` - however, that only works with pages that really exist in `Goodgroup`; if you visit a page in `Badgroup` without a corresponding page of the same name in `Goodgroup`, instead of being redirected to a non-existent page, you get the redirect Directive at the top of the page.

With `(:if exists Goodgroup.*{Name}:)(:redirect Goodgroup.*{Name}:)(:ifend:)` in `Badgroup.GroupHeader` you get redirected to `Goodgroup.Name` if it exists, otherwise you get `Badgroup.Name` without the bit of code displayed.

Retrieved from <https://www-sop.inria.fr/mascotte/EULER/wiki/pmwiki.php/PmWiki/PageDirectives>
Page last modified on March 28, 2009, at 09:27 PM