

# Parallel robots, Second Edition, Springer, (November 14, 2005)

<b>Preface</b>	<b>xiv</b>
Notation . . . . .	xvii
<b>1 Introduction</b>	<b>1</b>
1.1 Characteristics of classical robots . . . . .	1
1.2 Other types of architecture . . . . .	4
1.3 Needs for robotics . . . . .	11
1.4 Parallel robots: definition . . . . .	12
1.4.1 Generalized parallel manipulators: definition . . . . .	12
1.4.2 Parallel manipulators . . . . .	12
1.4.3 Fully parallel manipulators . . . . .	13
1.4.4 Fully parallel manipulators: analysis . . . . .	13
1.5 Contents . . . . .	17
1.6 Exercises . . . . .	18
<b>2 Structural synthesis and architectures</b>	<b>19</b>
2.1 Introduction . . . . .	19
2.2 Structural synthesis methods . . . . .	20
2.2.1 Graph theory . . . . .	20
2.2.2 Group theory approach . . . . .	21
2.2.3 The screw approach . . . . .	23
2.2.4 Structural synthesis and other kinematic performances . . . . .	25
2.2.5 Structural synthesis and uncertainties . . . . .	25
2.2.6 Notation for parallel robots . . . . .	26
2.3 Planar robots . . . . .	27
2.3.1 3 d.o.f. manipulators . . . . .	27
2.4 Spatial motion robots . . . . .	29
2.4.1 Joints and actuators . . . . .	29
2.4.2 Classification of parallel robots. . . . .	30
2.4.3 3 d.o.f. manipulators . . . . .	31
2.4.4 4 d.o.f. manipulators . . . . .	43
2.4.5 5 d.o.f. manipulators . . . . .	44
2.4.6 6 d.o.f. manipulators . . . . .	47
2.5 Redundant robots . . . . .	62
2.6 Articulated truss and binary actuation . . . . .	62
2.7 MEMS and micro-positioning robots . . . . .	66
2.8 Wire robots . . . . .	66
2.9 Examples of applications . . . . .	69
2.9.1 Spatial applications . . . . .	70
2.9.2 Vibration . . . . .	73
2.9.3 Medical applications . . . . .	75
2.9.4 Simulators . . . . .	77
2.9.5 Industrial applications . . . . .	79
2.9.6 Miscellaneous applications . . . . .	91
2.10 Robots studied in this book . . . . .	93
2.11 Exercises . . . . .	93

<b>3</b>	<b>Inverse kinematics</b>	<b>95</b>
3.1	Inverse kinematics . . . . .	95
3.1.1	General methods . . . . .	95
3.1.2	Examples . . . . .	97
3.1.3	Extrema of the joint coordinates . . . . .	102
3.2	Exercises . . . . .	103
<b>4</b>	<b>Direct kinematics</b>	<b>105</b>
4.1	Planar robots . . . . .	105
4.1.1	The 4-bar mechanism . . . . .	106
4.1.2	Coupler curve and circularity . . . . .	106
4.1.3	Direct kinematics of the 3- <i>RPR</i> robot . . . . .	107
4.1.4	Other planar robots . . . . .	111
4.2	Robots with 3 translational d.o.f. . . . .	112
4.3	Robots with 6 d.o.f. . . . .	113
4.3.1	Example of analysis: the TSSM . . . . .	113
4.3.2	Analysis of other space mechanisms . . . . .	119
4.3.3	Special cases of the 6- <i>UPS</i> robot . . . . .	123
4.3.4	The SSM . . . . .	127
4.3.5	General case of the 6- <i>UPS</i> robot . . . . .	128
4.3.6	Summary of results . . . . .	130
4.4	Systematic method for <i>UPS</i> robots . . . . .	130
4.4.1	Manipulators with 9 legs . . . . .	130
4.4.2	Manipulators with 7 and 8 legs . . . . .	133
4.5	Conclusion . . . . .	134
4.6	Fast numerical methods . . . . .	135
4.6.1	Newton schemes . . . . .	136
4.6.2	Interval analysis scheme . . . . .	142
4.6.3	Methods efficiency and computation time . . . . .	143
4.6.4	Path tracking . . . . .	144
4.7	Direct kinematics with extra sensors . . . . .	145
4.7.1	Type and location of the extra sensors . . . . .	146
4.7.2	Maximal number of sensors . . . . .	146
4.7.3	Relationship between sensors accuracy and pose accuracy . . . . .	148
4.8	Exercises . . . . .	149
<b>5</b>	<b>Velocity, accuracy and acceleration analysis</b>	<b>153</b>

5.1	Kinematics relations . . . . .	153
5.2	Inverse jacobian matrix . . . . .	153
5.2.1	Euler angles inverse jacobian . . . . .	155
5.2.2	Inverse kinematic jacobian . . . . .	156
5.2.3	Inverse jacobian and Plücker line coordinates . . . . .	161
5.3	Jacobian matrix . . . . .	162
5.4	Kinetostatic performance indices . . . . .	163
5.4.1	Manipulability and the kinematics polyhedron . . . . .	163
5.4.2	Condition number and other indices . . . . .	165
5.5	Determination of the joint velocities and twist . . . . .	171
5.5.1	Determination of the joint velocities . . . . .	171
5.5.2	Determination of the twist . . . . .	171
5.6	Extrema of the velocities in a workspace . . . . .	172
5.6.1	Extrema of the twist . . . . .	172
5.6.2	Extrema of the joint velocities . . . . .	173
5.7	Accelerations analysis . . . . .	173
5.7.1	6- <i>UPS</i> robot . . . . .	173
5.7.2	6- <i>PUS</i> robot . . . . .	174
5.8	Accuracy analysis . . . . .	175
5.8.1	Geometrical errors . . . . .	175
5.8.2	Thermal errors . . . . .	176
5.8.3	Gravity induced errors . . . . .	176
5.8.4	Dynamics errors . . . . .	176
5.8.5	Worst poses for accuracy . . . . .	176
5.9	Exercises . . . . .	177

## 6 Singular configurations

6.1	Introduction . . . . .	179
6.2	Singularity influence and classification . . . . .	179
6.2.1	Singularities and velocities . . . . .	179
6.2.2	Singularities and statics . . . . .	181
6.2.3	Singularities and kinematics . . . . .	182
6.2.4	Serial singularity . . . . .	182
6.3	Parallel singularities . . . . .	183
6.3.1	Motivations for the study of singularity . . . . .	183
6.3.2	Singularity analysis . . . . .	184
6.4	Grassmann geometry . . . . .	185
6.4.1	Variety and geometry . . . . .	186
6.4.2	Examples of geometrical analysis . . . . .	189
6.5	Motion associated with singularities . . . . .	200
6.5.1	Determination of the singularity motion . . . . .	201
6.5.2	Determination of the instantaneous rotation axis . . . . .	201
6.5.3	Example: the MSSM . . . . .	202
6.6	Singularity indices . . . . .	204
6.7	Singularity test . . . . .	206
6.8	Mechanisms in permanent singularity . . . . .	208
6.9	Singularity-free path-planning and workspace enlargement . . . . .	209
6.10	Singularity and design . . . . .	210
6.11	Exercises . . . . .	211

## 7 Workspace

7.1	Workspace limits, representation and type . . . . .	213
7.1.1	The different types of workspaces . . . . .	213
7.1.2	Orientation representation . . . . .	214
7.2	Workspace calculation methods . . . . .	215
7.2.1	Geometrical approach . . . . .	215
7.2.2	Discretisation method . . . . .	216
7.2.3	Numerical methods . . . . .	217
7.3	Planar manipulators . . . . .	219
7.3.1	Constant orientation workspace . . . . .	219
7.3.2	Orientation workspace . . . . .	221
7.3.3	Dextrous workspace . . . . .	222
7.3.4	Maximal workspace . . . . .	223
7.3.5	Inclusive orientation workspace . . . . .	225
7.3.6	Total orientation workspace . . . . .	227
7.4	3- <i>UPU</i> manipulator . . . . .	228
7.5	6- <i>UPS</i> manipulator . . . . .	228
7.5.1	Cross-sections of the constant orientation workspace . . . . .	229
7.5.2	3D constant orientation workspace . . . . .	230
7.5.3	Orientation workspace . . . . .	239
7.5.4	Dextrous workspace . . . . .	240
7.5.5	Maximal workspace . . . . .	240
7.5.6	Workspace for machine-tool . . . . .	242
7.5.7	Comparison between architectures . . . . .	244
7.6	Workspace performance indices . . . . .	245
7.7	Trajectory verification . . . . .	246
7.7.1	Line segment verification . . . . .	246
7.7.2	Parametric trajectory verification . . . . .	248
7.8	Motion-planning . . . . .	249
7.8.1	Global motion planning . . . . .	249
7.8.2	Machine-tool motion planning and part positioning . . . . .	255
7.8.3	Prospective for global motion planning . . . . .	256
7.9	Exercises . . . . .	257

## 8 Static analysis

8.1	Relations between wrench and joint forces . . . . .	259
8.1.1	Fundamental relations . . . . .	259
8.1.2	Determination of the wrench . . . . .	259
8.1.3	Determination of the joint forces . . . . .	259
8.2	Maximal joint forces and maximal wrench . . . . .	260
8.2.1	Maximal joint forces in a pose . . . . .	260
8.2.2	Maximal joint forces in a translation workspace . . . . .	261
8.2.3	Maximal joint forces in a general workspace . . . . .	263
8.2.4	Maximal wrench in a pose . . . . .	263
8.2.5	Maximal wrench in a workspace . . . . .	264
8.3	Force performances indices . . . . .	265
8.4	Parallel robots as force sensors . . . . .	266
8.5	Stiffness and compliance . . . . .	266
8.5.1	Stiffness matrix of a parallel robot . . . . .	267
8.5.2	Passive compliance and force-feedback control . . . . .	269
8.5.3	Stiffness maps . . . . .	270
8.5.4	Extrema of the stiffness in a workspace . . . . .	273
8.5.5	Stiffness and design . . . . .	274
8.6	Static balancing . . . . .	274
8.7	Exercises . . . . .	275
<b>9</b>	<b>Dynamics</b> . . . . .	<b>277</b>
9.1	Introduction . . . . .	277
9.2	MSSM inverse dynamics . . . . .	279
9.3	6- <i>UPS</i> manipulator dynamics . . . . .	281
9.3.1	Hypothesis and notation . . . . .	281
9.3.2	Algorithm principle . . . . .	281
9.4	6- <i>PUS</i> robot dynamics . . . . .	285
9.5	Computation time . . . . .	286
9.6	Examples . . . . .	286
9.6.1	Inverse dynamics . . . . .	286
9.6.2	Direct dynamics . . . . .	287
9.7	Exercises . . . . .	288
<b>10</b>	<b>Calibration</b> . . . . .	<b>289</b>

10.1	Introduction . . . . .	289
10.2	Types and principle of calibration methods . . . . .	290
10.2.1	Calibration principle . . . . .	290
10.2.2	General comparison of calibration methods . . . . .	291
10.2.3	Issues in calibration methods . . . . .	291
10.3	External calibration . . . . .	292
10.3.1	Type of external measurements . . . . .	292
10.3.2	Calibration with direct kinematics . . . . .	293
10.3.3	Calibration with inverse kinematics . . . . .	294
10.3.4	Calibration with constant leg lengths . . . . .	295
10.3.5	Calibration with other geometrical elements . . . . .	296
10.3.6	Unicity of the solution . . . . .	296
10.3.7	Observability . . . . .	297
10.4	Auto-calibration . . . . .	298
10.5	Calibration with mechanical constraints . . . . .	298
10.6	Determination of the calibration poses . . . . .	299
10.7	Exercises . . . . .	300
<b>11</b>	<b>Design</b>	<b>301</b>
11.1	Introduction . . . . .	301
11.2	Reducing the number of design parameters . . . . .	303
11.3	The atlas approach . . . . .	305
11.4	The cost function approach . . . . .	305
11.5	The exact synthesis approach . . . . .	309
11.5.1	Workspace synthesis . . . . .	309
11.5.2	Velocity synthesis . . . . .	311
11.6	The parameter space approach . . . . .	311
11.6.1	The parameter space . . . . .	312
11.6.2	Principle of the method . . . . .	313
11.6.3	Calculation of the allowed regions . . . . .	313
11.6.4	Search for appropriate robots . . . . .	317
11.6.5	Design examples . . . . .	318
11.6.6	Advantages and drawback . . . . .	318
11.7	Other design issues . . . . .	319
11.8	Exercises . . . . .	320
<b>12</b>	<b>Appendix: system solution</b>	<b>321</b>
12.1	Homotopy . . . . .	321
12.2	Elimination . . . . .	322
12.3	Gröbner basis . . . . .	323

<b>13 Appendix: interval analysis</b>	<b>325</b>
13.1 Introduction . . . . .	325
13.2 Function properties and interval evaluation . . . . .	326
13.3 Generic interval-based algorithm . . . . .	326
13.4 General purpose applications . . . . .	328
13.4.1 System solving . . . . .	328
13.4.2 Global optimization . . . . .	328
13.4.3 Linear system solving . . . . .	329
13.5 Robotics applications . . . . .	329
13.5.1 Workspace calculation . . . . .	329
13.5.2 Singularity detection . . . . .	330
13.6 Conclusion . . . . .	330
<b>14 Conclusion</b>	<b>331</b>
<b>Index</b>	<b>333</b>
<b>References</b>	<b>345</b>